Overview of Air Quality Monitoring in Accra, Ghana-2



BY: EMMANUEL K-E. APPOH DEPUTY DIRECTOR/ENVIRONMENTAL QUALITY DEPARTMENT ENVIRONMENTAL PROTECTION AGENCY, GHANA

AIR SENSORS INTERNATIONAL CONFERENCE, OAKLAND CALIFORNIA, SEPTEMBER 12 - 14, 2018

Presentation Outline

- Introduction
- Characterization challenges in Ghana
- Standard Air Quality Network
- Low Costs Sensors Co-location and validation
- Data Management
- Lessons learnt to date
- The Way Forward



Introduction



- Air pollution is a leading environmental health risk humans face.
- WHO estimates 6.5 million deaths/annum attributable to Ambient & Indoor Air pollution
 - Increased mortality from stroke, heart disease, lung cancer, chronic obstructive pulmonary diseases and respiratory infections, including pneumonia.
- Global urban population is expected to double by 2050, with most of this growth occurring in low and middle-income cities like Accra
 - Rapid urbanization is outpacing the provision of the necessary infrastructure and services.
- Nationwide in Ghana, 14,000 deaths/year from Household air pollution (HAP); 5,000 deaths of children under 5yrs (GHS, 2010).
- In Accra, current health burden:
 - Over 2,800 deaths/year from exposure to PM. (2015 data);
 - Projected to increase to over 3,000 deaths/yr in 2020 and over 4,500 deaths/yr in 2030.
 - Implementing new AQMP could save nearly 430 deaths per year by 2030 Source: EPA Ghana, 2018.

Characterization Challenges



- Lack of monitoring of key gaseous pollutants (CO, SO₂, NO₂, O₃)
- Limited chemical speciation analysis and health benefit analysis after training by USEPA.
- Source apportionment (PMF) yet to be undertaken
- Lack regulatory grade real time continuous ambient air quality monitors
- Unable to timely report air quality information to the public
- Impact attributions of Household Air Pollution (HAP) on air quality in Accra is unknown
- Real-Time Challenges & Requirements:
 - Lack regulatory monitors to validate low-cost sensors (planned for early 2019)
 - Computation of 8-hr and 24-hr averages from low-cost sensor to convert into AQL
 - Possibility of misleading averages. Averages must not be misleading (and be easy and quick to compute)
 - Need to look at USEPA's NowCast to relate hourly data to the AQI



Standard Ambient Air Quality Monitoring Equipment










Current and Historical Air Quality



Current conditions, as characterized by roughly 13 years of PM air quality monitoring results, present an unacceptable health burden for the population of Accra, and are not in line with international standards for air quality.




EPA Ghana Network-Low Cost Sensors

power adapter antenna out in node-s body out in barbed tube bracket connector x 2 mounting bracket connector x 2

Clarity Sensor


- Measures PM10, PM2.5 and PM1
- Line power units measure every 5 minutes, solar every 15 minutes
- Data transmitted in parallel to Clarity for performance/ troubleshooting and to AirNow-Ghana system using an API

Purple Air (using SD card for data retrieval)



- Measures PM10, PM2.5
- Line power, measures every 80 seconds and records in text file to SD card (offline mode)
- Data transmitted to AirNow-Ghana system via FTP. Data file retrieved every 3-4 weeks

2018 EPA Ghana Air Quality Monitoring and Sensor Network



Co-location and Validation

- August 2018 all sensors co-located at EPA Ghana for 6 days
- Sensor data should be compared to higher quality reference equipment data in order to calibrate the sensor data this process is referred to as co-location
- Sensor data can also be compared between sensors to check for agreement/performance






Co-location and Validation (part 2)

- World Bank Pollution Management and Environmental Health (PMEH) initiating project in Accra
 - In 2019 will be purchasing and siting 2 regulatory grade (federal equivalency method -FEM) monitors and accompanying met stations
- Once established, all sensors will be co-located with PMEH monitors for validation and calibration
- Establishing standards operating procedures for regular co-location and calibration.



Example of a regulatory grade (FEM) monitor station

Data Management: EPA Ghana-AirNow System



Management of real-time data:

- Clarity sensors
- Met data
- Historical data (including Purple Air sensors since running in off-line mode)
- Data Query and Reports

GIS Visualization

PM2.5

- Satellite data and air quality observations
- HYSPLIT and AOD
- Pollution/Wind Roses



- Dansoman AONZTVDQ PM2.5 (Micrograms/cubic meter (LC)) POC 1
 Jamestown A4ZTW82Y PM2.5 (Micrograms/cubic meter (LC)) POC 1
 Jamestown A4ZTW82Y PM2.5 (Micrograms/cubic meter (LC)) POC 1
- -- Amasaman ANC2V9DG PM2.5 (Micrograms/cubic meter (LC)) POC 1 -- Dansoman AN6MWGMS PM2.5 (Micrograms/cubic meter (LC)) POC 1
- North Industrial Area AWWCSC05 PM2.5 (Micrograms/cubic meter (LC)) POC 1 East Legon AK06MKD9 PM2.5 (Micrograms/cubic meter (LC)) POC 1
- --- Odorkor AW0D8KDH PM2.5 (Micrograms/cubic meter (LC)) POC 1 --- Kaneshie First Light AX46Z7D5 PM2.5 (Micrograms/cubic meter (LC)) POC 1 --- North Industrial Area A38WP4V2 PM2.5 (Micrograms/cubic meter (LC)) POC 1
- Korth Industrial Area AG2F4TEX PM2.5 (Micrograms/cubic meter (LC))
 East Legon A4ZTMS31 PM2.5 (Micrograms/cubic meter (LC)) POC 1

14.00




Lessons Learned to date in efforts to deploy sensors

- Air quality monitoring in Accra requires higher commitment to ensure continuity
- Need to ensure that resources (consumable, adequate staff etc.) are available
- Need to conduct more studies into air quality (HAP & Ambient) problems for decision making
- Need to understand data ownership and management issues
- Clarity Node-S and Purple air sensor placement (need to allow free air flow to the sensor; inlets to personal exposure monitors should have access to the air the person is inhaling; taking preliminary measurements to help identify a good monitoring location).
- Calibration of sensors. Needed to compare one sensor with another and compare with nearby regulatory monitors (Collocation with regulatory monitors-Linear regression used to normalize sensor signals)
- Maintaining sensor/monitoring equipment for effective performance; and data quality (QA/QC requirements) and management
- Security of the monitoring equipment/sensors

The Way Forward

- For Air Quality Monitoring
 - Procure and install standard real-time continuous monitors and co-locate with the Low-Cost Real Time (LCRT) monitors
 - > Explore real-time air quality index via AirNow-Ghana available to public
 - Check the efficiency/accuracy of the LCRT monitor for future deployment across all regional capitals of Ghana, where there is lack of air quality monitoring.
 - Other African countries who do not have air quality monitoring system could also be encouraged to use deploy some of the LCRT monitors for AQ studies.
- For Air Quality Management Planning
 - Facilitate the publication of the ambient and point source air quality standards, and all relevant regulations,
 - Encourage all relevant players identified in the AQMP to implement their respective roles to ensure reduction of air pollution in the GAMA.
 - Collect relevant information to support the review of Air Quality Standards in future.



Thank you!

Contact:

Email: eeappoh@yahoo.com OR eeappoh2@gmail.com Tel: (+233) 244 206 475 Skype: emmanuel.appoh2

